# SAFETY DATA SHEET CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

EU REACH registration notes Ethanol: 01-2119457610-43-002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Food heater gel.

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

**Supplier** GIZA DIS TIC. ve SAN. KOLL. STI.

Avrupa Serbest Bolgesi, 5. Sokak, No:7, 59930, ERGENE--TEKIRDAG / TURKEY

Tel.: + 90 282 691 11 92 info@giza-group.com

1.4. Emergency telephone number

Emergency telephone GIZA GROUP: +90 282 6911192 – office hours

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazardsFlam. Sol. 2 - H228Health hazardsNot Classified

Environmental hazards Not Classified

2.2. Label elements
Hazard pictograms



Signal word Warning

Hazard statements H228 Flammable solid.

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P501 Dispose of contents/ container in accordance with national regulations.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Ethanol 75%

CAS number: 64-17-5 EC number: 200-578-6

Lists:REACH ANNEX XVII.(40)

Classification

Flam. Liq. 2 - H225

Triethylamine <1%

Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H302

Acute Tox. 4 - H312

Acute Tox. 4 - H332

Skin Corr. 1A - H314

Eye Dam. 1 - H318

STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

### SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information General first aid, rest, warmth and fresh air. Do not give victim anything to drink if they are unconscious.

Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Place unconscious person on their side in the recovery position

and ensure breathing can take place. If respiratory problems, artificial respiration / oxygen. Get medical

attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Keep affected person warm and at rest. Show this Safety Data Sheet

to the medical personnel. Never give liquid to an unconscious person.

Skin contact Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. Remove

contaminated clothing and rinse skin thoroughly with water. Get medical attention promptly if symptoms

occur after washing.

Eye contact Make sure to remove any contact lenses before rinsing. Promptly wash eyes with plenty of water while

lifting the eye lids. Get medical attention promptly if symptoms occur after washing.

# 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Vapours may cause headache, fatigue, dizziness and nausea.

**Ingestion** Nausea, vomiting. Dizziness.

**Skin contact** Prolonged contact may cause redness, irritation and dry skin.

**Eye contact** Severe irritation.

### CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish. Dry chemicals, sand, dolomite

etc.

Unsuitable extinguishing media Do not use water, if avoidable

5.2. Special hazards arising from the substance or mixture

**Specific hazards** In case of fire: Very toxic gases or vapours.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Carbon monoxide

(CO). Hydrogen cyanide (HCN). Nitrous gases (NOx).

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Fight fire remotely due to the risk of explosion. Containers close to fire should be removed or cooled with water. Cool containers exposed to flames with water until well after the fire is out. Contain and collect extinguishing water.

the life is out. Contain and collect extinguishing water

Special protective equipment for

firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames

or other sources of ignition near spillage. Avoid inhalation of vapours. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Keep combustible materials away from spillage. Remove spillage with vacuum cleaner or collect with a

shovel and broom, or similar. Move containers from spillage area. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For

waste disposal, see Section 13.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be

prevented. Eye wash facilities and emergency shower must be available when handling this product. Avoid inhalation of vapours. Avoid contact with skin and eyes. Do not wear contact lenses. During

application and drying, solvent vapours will be emitted. Provide adequate ventilation.

### CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Store at temperatures between 15°C and

30°C. Store away from the following materials: Oxidising materials. Acids. Keep away from food, drink

and animal feeding stuffs. Keep out of the reach of children.

Suitable container materials: HDPE; High-density polyethylene. PET; Polyethylene terephthalate. PP;

Polypropylene. Polyethylene. Tin plate. Steel.

**Storage class** Flammable solid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

### Triethylamine

Long-term exposure limit (8-hour TWA): WEL 2 ppm 8 mg/m³ Short-term exposure limit (15-minute): WEL 4 ppm 17 mg/m³ Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through the skin.

## Ethanol (CAS: 64-17-5)

**DNEL** Workers - Inhalation; : 1900 mg/m³

Workers - Dermal; Long term systemic effects: 343 mg/kg/day Workers - Inhalation; Long term systemic effects: 950 mg/m³

General population - Inhalation; : 950 mg/m³

General population - Dermal; Long term systemic effects: 206 mg/kg/day General population - Inhalation; Long term systemic effects: 114 mg/m³ General population - Oral; Long term systemic effects: 87 mg/kg/day

PNEC - Fresh water; 0,96 mg/l

marine water; 0,79 mg/l
Intermittent release; 2,75 mg/l
Sediment (Freshwater); 3,6 mg/kg
Sediment (Marinewater); 2,9 mg/kg

#### 8.2. Exposure controls

## Protective equipment









Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

**Eye/face protection** Contact lenses should not be worn when working with this chemical. Wear approved safety goggles.

## CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

**Hand protection** Wear protective gloves. To protect hands from chemicals, wear gloves that are proven to be impervious to

the chemical and resist degradation.

It is recommended that gloves are made of the following material: Nitrile rubber.

Other skin and body protection Wear apron or protective clothing in case of contact.

Hygiene measures Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Promptly remove

any clothing that becomes contaminated. Take off contaminated clothing and wash it before reuse.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. Wear self-contained breathing

apparatus. In case of possible exposure to degradation products, use suitable respiratory protection.

Wear self-contained breathing apparatus with full facepiece.

#### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Gel.

Colour Colourless.

Odour Characteristic.

**pH** pH (concentrated solution): 7.5 - 8.5

Melting point No information available.

Initial boiling point and range 79°C

Flash point 16°C Closed cup.

Evaporation rate No information available.

Flammability (solid, gas) Flammable solid

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 3.3 % Upper flammable/explosive limit: 19 %

Vapour pressure 44 mm Hg @ 20°C

Vapour density No information available.

Relative density No information available.

Bulk density 0.84 kg/l @ 25°C

Solubility(ies) Completely soluble in water.

Partition coefficient No information available.

Auto-ignition temperature 451°C

**Decomposition Temperature**No information available. **Viscosity**3570 Pa s @ 25°C

Explosive properties

There are no chemical groups present in the product that are associated with explosive properties.

Oxidising properties

There are no chemical groups present in the product that are associated with oxidising properties.

9.2. Other information

Volatile organic compound This product contains a maximum VOC content of 85 %.

## CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

### SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid contact with acids. Oxidising agents.

10.5. Incompatible materials

Materials to avoid Acids - oxidising.

10.6. Hazardous decomposition products

Hazardous decomposition Heating may generate the following products: Toxic gases or vapours. Carbon monoxide (CO). Hydrogen

**products** cyanide (HCN). Nitrous gases (NOx).

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Other health effects Does not contain any substances known to be carcinogenic.

Acute toxicity - oral

Notes (oral LD50) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅o) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

**Skin corrosion/irritation**Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro

Based on available data the classification criteria are not met.

Genotoxicity - in vivo

Based on available data the classification criteria are not met.

## CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

**Reproductive toxicity - fertility**Based on available data the classification criteria are not met. **Reproductive toxicity -**Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure**Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system.

**Ingestion** Gastrointestinal symptoms, including upset stomach.

Skin contact Repeated exposure may cause skin dryness or cracking. Irritating to skin.

Eye contact May cause eye irritation. Redness. Pain.

11.2. Information on other hazards

Information on other hazards No information available.

Toxicological information on ingredients.

Ethanol

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 6200 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> 7060 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 124,7 mg/l, Inhalation, 760 mm Hg, Rat

Carcinogenicity

IARC carcinogenicity IARC Group 1 Carcinogenic to humans.

Triethylamine

Acute toxicity - oral

Notes (oral LD50) LD50 730 mg/kg, Oral, Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

ATE dermal (mg/kg) 1,100.0

## **CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Acute toxicity - inhalation

Notes (inhalation LC50) LC50 3496 ppm, Inhalation, Rat

ATE inhalation (vapours mg/l) 11.0

ATE inhalation (dusts/mists 1.5

mg/l)

**SECTION 12: Ecological information** 

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous

effects on the environment.

12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

Ecological information on ingredients.

Ethanol

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 24 hours: 11200 mg/l, Oncorhynchus mykiss (Rainbow trout)

LC₅o, 96 hour: 13.000 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 5012 mg/l, Ceriodaphnia dubia EC<sub>50</sub>, 48 hour: 9.300 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC<sub>50</sub>, 72 hours: 275 mg/l, Chlorella pyrenoidosa

EC<sub>50</sub>, 72 hour: 5.000 mg/l, Algae

Acute toxicity -

EC<sub>50</sub>, 4 hours: 5,8 g/l, Paramaecium caudatum

microorganisms

**Acute toxicity - terrestrial** LC<sub>50</sub>, 48 hours: 0,1-1 mg/cm², Eisenia Fetida (Earthworm)

Triethylamine

Acute aquatic toxicity

**Acute toxicity - fish** LC₅o, 96 hour: 330 mg/l, Fish

Acute toxicity - aquatic plants LC50, 48 hour: 200 mg/l, Algae

12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

Ecological information on ingredients.

Ethanol

**Persistence and degradability** The substance is readily biodegradable.

## CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

Ethanol

Partition coefficient log Kow: -0,31

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available

12.7. Other adverse effects

Other adverse effects None known.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Absorb in vermiculite, dry sand or earth and place into containers. Empty containers must not be

punctured or incinerated because of the risk of an explosion. Do not empty into drains.

### SECTION 14: Transport information

## 14.1. UN number or ID number

 UN No. (ADR/RID)
 1325

 UN No. (ICAO)
 1325

 UN No. (ICAO)
 1325

 UN No. (ADN)
 1325

### 14.2. UN proper shipping name

 Proper shipping name (ADR/RID)
 FLAMMABLE SOLID, ORGANIC, N.O.S. (ETHANOL)

 Proper shipping name (IMDG)
 FLAMMABLE SOLID, ORGANIC, N.O.S. (ETHANOL)

 Proper shipping name (ICAO)
 FLAMMABLE SOLID, ORGANIC, N.O.S. (ETHANOL)

 Proper shipping name (ADN)
 FLAMMABLE SOLID, ORGANIC, N.O.S. (ETHANOL)

## **CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

## 14.3. Transport hazard class(es)

ADR/RID classification code F1

ADR/RID label 4.1

IMDG class

ICAO class/division 4.1

ADN class 4.1

#### Transport labels



### 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ADN packing group III

ICAO packing group III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Nο

### 14.6. Special precautions for user

**EmS** F-A, S-G

ADR transport category 2

Emergency Action Code 1Z

Hazard Identification Number (ADR/RID) 40

Tunnel restriction code (E)
Limited quantities (ADR) 5 kg

### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk according to IMO instruments

Not applicable.

according to IMO instruments

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI

2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

## CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

**EU** legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (as amended).

Commission Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Authorisations (SI 2020 No. 1577

Annex XIV)

No specific authorisations are known for this product.

Authorisations (Annex XIV Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (SI 2020 No. 1577

Annex XVII)

No specific restrictions on use are known for this product.

Restrictions (Annex XVII Regulation 1907/2006)

No specific restrictions on use are known for this product.

Seveso Directive - Control of major accident hazards

Not relevant.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### **SECTION 16: Other information**

in the safety data sheet

Abbreviations and acronyms used ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC50: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations and

acronyms

Flam. Sol. = Flammable solid Eye Irrit. = Eye irritation

Key literature references and sources for data

Source: European Chemicals Agency, http://echa.europa.eu/

This SDS is prepared based on the information and documents received from product owner. CRAD or/and SDS author shall not be responsible for incorrect preapared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product

Classification procedures according to SI 2019 No. 720 Flam. Sol. 2 - H228: : Expert judgement.

and Regulation (EC) No.

1272/2008

Revision comments SDS has been revised under the current regulations.

## **CHAFERGEL - CHAFING DISH FUEL (ETHANOL GEL)**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended. According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020.

Issued by Bülent Özdemir / CRAD

gbf@crad.com.tr

Revision date 01/01/2023

Revision 09

Supersedes date 15/10/2015

SDS number 7396

Hazard statements in full H225 Highly flammable liquid and vapour.

H228 Flammable solid. H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.